

Work Order ID 76050

Thursday, November 03, 2011 12:39:56 PM

76050

Page 1

Item ID: D4095-045

Accept

N9000040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Wearplate Assembly

Start Date: 11/4/2011 Start Qty: 6.00

6

Cust Item ID:

Required Date: 11/9/2011 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals:

Process Plan: mkDate: 11-11-03

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

D4095

B

100

0.00

100

FLOW WATER JET

Waterjet

Memo

0.00

FLOW CNC Waterjet

1-Cut as per Dwg (D4095-5)

Dwg Rev: BProg Rev: B

2-Deburr if necessary

11-11-7

(6)

110

0.00

110

QC2- Inspect parts off machine FAI/FAIB

QC

Memo

0.00

Quality Control

11-11-7

120

0.00

120

QC8- Inspect parts - second check

QC

Memo

0.00

Quality Control

Sutula

(6)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 76050

76050

Page 2

Thursday, November 03, 2011 12:39:56 PM

Item ID: D4095-045 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Wearplate Assembly
 Start Date: 11/4/2011 Start Qty: 6.00 *6* Cust Item ID:
 Required Date: 11/9/2011 Req'd Qty: 6.00 *6* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	NC BRAKE	0.00				(6)			
130									
Brake NC	Memo	0.00							
Brake NC	Form on Brake as per Dwg D3564 using Jigs DT8179 and DT8155Form Joggle as per Dwg D3564 on brake using Jig DT8157								
140	QC5- Inspect part completeness to step on W/O	0.00							
140						(x6)			
QC	Memo	0.00							
Quality Control									
150		0.00							
150									
HandFinish	Memo	0.00							
Hand Finishing	COAT ENTIRE TOP (CONCAVE) SURFACE WITH ROCKGUARD AS PER DWG A/R ROCKGUARD BATCH: 118662								

SB 11/11/07

8/11/07

RT 11-11-08 (x6)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 76050***76050***

Page 3

Thursday, November 03, 2011 12:39:56 PM

Item ID: D4095-045

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Wearplate Assembly

Start Date: 11/4/2011 Start Qty: 6.00

6

Cust Item ID:

Required Date: 11/9/2011 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Run Start ***NR1***Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

QC3- Inspect Part Finish

0.00

160

QC

Memo

0.00

Quality Control

170

Identify as per dwg & Stock Location: FP

0.00

170

Packaging

Memo

0.00

Packaging

180

QC21- Final Inspection - Work Order Release

0.00

180

QC

Memo

0.00

Quality Control

MVE
11-11-09

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, November 03, 2011 12:39:56 P

Page 1

Work Order ID: 76050

Parent Item: D4095-045

Parent Item Name: Wearplate Assembly

Start Date: 11/4/2011

Required Date: 11/9/2011

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP REV:A 11.10.12 NEW ISSUE DD VERF:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3564-5 Wearshoe		Manufactured	No				Each	24.0000					
---------------------	--	--------------	----	--	--	--	------	---------	--	--	--	--	--

6
B11-1-7

MAT NOT PULLED

(6)

Location	Loc Qty	Loc Code
FG	2	
34806	2	
FP001	12	
74543	12	
FP19	10	
73330	10	

M304S16 GA .063

M119346

M119346

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order: 76050

Part Number: D4095-042

Page 1 of 1

X

Prototype

Measured by:

Audited by:

S

Prototype Approval:

Date:

11-11-4


Date:

h111k027


Date:

HA FORM SI Quality Assurance approved QAI/FAI revD


ITEM	QTY -041	QTY -043	QTY -045	QTY -047	QTY -049	QTY -051	PART NUMBER	DESCRIPTION
1	X						D4095-041	WEARPLATE ASSEMBLY
2		X					D4095-043	WEARPLATE ASSEMBLY
3			X				D4095-045	WEARPLATE ASSEMBLY
4				X			D4095-047	WEARPAD ASSEMBLY
5					X		D4095-049	WEARPAD ASSEMBLY
6						X	D4095-051	WEARPAD ASSEMBLY
7	1						D4095-1	WEARPLATE
8	1						D4095-3	WEARPLATE
9		1					D4095-5	WEARPLATE
10			1				D4095-7	WEARPAD
11				1			D4095-9	WEARPAD
12					1		D4095-11	WEARPAD
13	A/R	A/R	A/R	A/R	A/R	A/R	4715 (4714)	PLUS ONE ROCKGUARD BLACK (TAN)



D4095-041 WEARPLATE ASSEMBLY



D4095-043 WEARPLATE ASSEMBLY



D4095-045 WEARPLATE ASSEMBLY

D4095-041/-043/-045/-047/-049/-051 NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH PLUS ONE ROCKGUARD 4714 OR 4715, 0.02-0.04 THICK
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4095-0XX" AND B/N "BXXXXX" USING REMOVABLE TAG PER QSI 044 6.6
- 7) WEIGHT: D4095-041 = 3.08 lbs; D4095-043 = 3.08 lbs; D4095-045 = 2.00 lbs; D4095-047 = 0.48 lbs; D4095-049 = 0.42 lbs; D4095-051 = 0.37 lbs
- 8) PARTS ARE SYMMETRIC ABOUT C

B	REVISED D4095-1/-1F/3/3F; 4715 PLUS ONE ROCKGUARD REPLACES D4095-1/-3; ADDED D4095-5/-7/-9/-11; REVISED HARDCOAT DESIGN; REVISED NOTE 2	XDF	11.10.18
A	NEW ISSUE	MB	10.04.20
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN	XDF		
CHECKED	AP		
MFG. APPR.	AP		
APPROVED	AP		
DE APPR.	AP		
DATE	11.10.18		
DART AEROSPACE USA, INC KENT, WA DRAWING NO. D4095 TITLE WEARPLATE REV. B SHEET 1 OF 8 SCALE NTS COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESSED CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____



Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries




D4095-047 WEAR PAD ASSEMBLY



D4095-049 WEAR PAD ASSEMBLY



D4095-051 WEARPAD ASSEMBLY



7650
RELEASED
2011-10-31
WJB

DESIGN		DART AEROSPACE USA, INC	
DRAWN	XDF	KENT, WA	
CHECKED	AP	DRAWING NO.	REV. B
MFG. APPR.	AP	D4095	SHEET 2 OF 8
APPROVED	AP	TITLE	SCALE
DE APPR.	AP	WEARPLATE	NTS
DATE	11.10.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D4095-1F FLAT PATTERN 1



D4095-1 BENDING DETAIL
(MAKE FROM D4095-1F)

D4095-1F/3F/5F/7F/9F/11F NOTES:

- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH, 16 GAUGE (0.063 THICK)
PER AMS 5513 (304) OR AMS 5524 (316), OR ASTM A240 OR ASME SA240
REF DART MATERIAL SPEC M304S16GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: D4095-1 = 3.00 lbs; D4095-3 = 3.00 lbs; 4095-5 = 1.96 lbs; D4095-7 = 0.47 lbs; D4095-9 = 0.41 lbs; D4095-13 = 0.36 lbs
- 8) WELDING: PER DART QSI 004
- 9) PARTS ARE SYMMETRIC ABOUT \bar{C}

DESIGN		DART AEROSPACE USA, INC	
DRAWN	XDF	KENT, WA	
CHECKED	10	DRAWING NO.	REV. B
MFG. APPR.	10	D4095	SHEET 3 OF 8
APPROVED	10	TITLE	SCALE
DE APPR.	10	WEARPLATE	NTS
DATE	11.10.18	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC.	
		THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

76050

RELEASED
2011-10-31
WFO


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D4095-3F FLAT PATTERN 1



D4095-3 BENDING DETAIL
(MAKE FROM D4095-3F)

* 76050

RELEASE
2011-10-31

DESIGN		DART AEROSPACE USA, INC	
DRAWN	XDF	KENT, WA	
CHECKED	10	DRAWING NO.	REV. B
MFG. APPR.	10	D4095	SHEET 4 OF 8
APPROVED	10	TITLE	SCALE
DE APPR.	10	WEARPLATE	NTS
DATE	11.10.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



* 76050

RELEASED
2011-10-31
M

DESIGN		DART AEROSPACE USA, INC	
DRAWN	XDF	KENT, WA	
CHECKED	<i>10</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>10</i>	D4095	SHEET 5 OF 8
APPROVED	<i>10</i>	TITLE	SCALE
DE APPR.	<i>10</i>	WEARPLATE	NTS
DATE	11.10.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN		DART AEROSPACE USA, INC	
DRAWN	XDF	KENT, WA	
CHECKED	10	DRAWING NO.	REV. B
MFG. APPR.	10	D4095	SHEET 6 OF 8
APPROVED	10	TITLE	SCALE
DE APPR.	10	WEARPLATE	NTS
DATE	11.10.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC</small> <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries




D4095-7F FLAT PATTERN




D4095-9F FLAT PATTERN




D4095-11F FLAT PATTERN



D4095-7 LONGITUDINAL BEND
(MADE FROM D4095-7F)



D4095-9 LONGITUDINAL BEND
(MADE FROM D4095-9F)



D4095-11 BENDING DETAIL
(MAKE FROM D4095-11F)

2011-10-31

DESIGN		DART AEROSPACE USA, INC	
DRAWN	XDF	KENT, WA	
CHECKED	AP	DRAWING NO.	REV. B
MFG. APPR.	AP	D4095	SHEET 7 OF 8
APPROVED	AP	TITLE	SCALE
DE APPR.	AP	WEARPLATE	NTS
DATE	11.10.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



DETAIL A: TAB DETAIL

SCALE 4X


C3-3
C6-4
D3-6
D2-7



DETAIL B: JOGGLE DETAIL

SCALE 4X


B2-3
B6-3
B3-4
B2-6



SECTION E-E

SCALE 2X

B5-6
B2-7




SECTION C-C

SCALE 2X

B5-3
B4-4


APPLY 2 LAYERS OF
2059B HARDCOAT WELDS
TO WITHIN 0.25 OF
WEARPAD ENDS
0.188 TO 0.250 THICK



SECTION D-D

SCALE 2X

B4-3
B5-4



SECTION F-F

SCALE 2X

B5-7
B7-7

DESIGN		DART AEROSPACE USA, INC	
DRAWN	XDF	KENT, WA	
CHECKED	AP	DRAWING NO.	REV. B
MFG. APPR.	AP	D4095	SHEET 8 OF 8
APPROVED	AP	TITLE	SCALE
DE APPR.	AP	WEARPLATE	NTS
DATE	11.10.18	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries